


MANUEL BANO




OBJ-09 / PENDANT LAMP

MATERIAL	FINISHES	DIMENSIONS	WEIGHT
COPPER	HAMMERED GRAFITO PATINA	200 L X 13 W X 25 H CM	LAMP
	MATTE CLEAR COATING	79 L X 5 W X 10 H IN	35 KG

DRIVER	LIGHTING
DRIVER INPUT VOLTAGE: 110 - 277 V DRIVER OUTPUT VOLTAGE DC: 24 V DIMMABLE DRIVER: YES 5 IN 1 DRIVER: TRIAC / PHASE / MLV/ ELV / 0-10V / POTENTIOMETER / 10V PWM	LIGHTING TYPE: LED CCT: 2700 K LED INPUT VOLTAGE: 24 V POWER CONSUMPTION: 15 W/M LUMINOUS FLUX: 1300 LM CRI: 90+

MANUEL BANO




OBJ-09 / LARGE PENDANT LAMP

MATERIAL	FINISHES	DIMENSIONS	WEIGHT
COPPER	HAMMERED GRAFITO PATINA	300 L X 13 W X 25 H CM	LAMP 45 KG
	MATTE CLEAR COATING	118 L X 5 W X 10 H IN	

DRIVER	LIGHTING
DRIVER INPUT VOLTAGE: 110 - 277 V DRIVER OUTPUT VOLTAGE DC: 24 V DIMMABLE DRIVER: YES 5 IN 1 DRIVER: TRIAC / PHASE / MLV/ ELV / 0-10V / POTENTIOMETER / 10V PWM	LIGHTING TYPE: LED CCT: 2700 K LED INPUT VOLTAGE: 24 V POWER CONSUMPTION: 15 W/M LUMINOUS FLUX: 1300 LM CRI: 90+

MANUEL BANO




OBJ-09 / PENDANT LAMP

MATERIAL	FINISHES	DIMENSIONS	WEIGHT
ALUMINUM	HAMMERED ALUMINUM	200 L X 13 W X 25 H CM	LAMP
	MATTE CLEAR COATING	79 L X 5 W X 10 H IN	15 KG

DRIVER	LIGHTING
DRIVER INPUT VOLTAGE: 110 - 277 V	LIGHTING TYPE: LED
DRIVER OUTPUT VOLTAGE DC: 24 V	CCT: 2700 K
DIMMABLE DRIVER: YES	LED INPUT VOLTAGE: 24 V
5 IN 1 DRIVER: TRIAC / PHASE / MLV/ ELV / 0-10V /	POWER CONSUMPTION: 15 W/M
POTENTIOMETER / 10V PWM	LUMINOUS FLUX: 1300 LM
	CRI: 90+

MANUEL BANO



OBJ-09 / LARGE PENDANT LAMP

MATERIAL	FINISHES	DIMENSIONS	WEIGHT
ALUMINUM	HAMMERED ALUMINUM	300 L X 13 W X 25 H CM	LAMP
	MATTE CLEAR COATING	118 L X 5 W X 10 H IN	25 KG

DRIVER	LIGHTING
DRIVER INPUT VOLTAGE: 110 - 277 V	LIGHTING TYPE: LED
DRIVER OUTPUT VOLTAGE DC: 24 V	CCT: 2700 K
DIMMABLE DRIVER: YES	LED INPUT VOLTAGE: 24 V
5 IN 1 DRIVER: TRIAC / PHASE / MLV/ ELV / 0-10V /	POWER CONSUMPTION: 15 W/M
POTENTIOMETER / 10V PWM	LUMINOUS FLUX: 1300 LM
	CRI: 90+